

Perri




Perri is a minimally designed downlight with trim or trimless option. Once installed Perri is discreet yet functional due to its adjustable centre component. With the lamp positioned high within the fitting Perri is low glare and in addition to its reliable light source, appears to effortlessly glow from the ceiling. Perri is also available for use with the a variable White WIFI LED lamp allowing you to dim and change the colour temperate from 2700 – 6500 Kelvin, remotely via your smartphone or tablet.

IP20    

Perri - Trimless


Dimensions	Ø77mm x 53mm (Recessing plate Ø120mm)
Finish	White (WH) / Black (BK) / Custom Colour (CC)
Configurations	Ceiling Recessed
Code / Description	258B / Adjustable Trimless
Rating	IP20



Dimensions refer to Trim Only

Perri - With Trim

Dimensions	Ø90mm x 58mm
Finish	White (WH) / Black (BK) / Custom Colour (CC)
Configurations	Ceiling Recessed
Code / Description	922 / Adjustable
Rating	IP20



Dimensions refer to Trim Only

Accessories


Globes	GU10 LED Smart Wi-Fi Globe Tunable White / Colour Changing
Controller	Wi-Fi Controller for Smart Globe (Up to 50 Globes)

Additional Information

This product comes in our standard colour range however can be colour-customised to seamlessly integrate into your space. Minimum order quantities apply. For more information please contact our customer service team on +61 3 9427 0231 or email info@sphera.com.au

LED Modules

Code / Description	LMR063060LEDDIM - 3000K 6W Dimmable 60° Low Profile Module
Lumen Output	700lm
CRI	90+
Lifespan	50000hrs
Dimming	Phase-Cut
Voltage	220-240V
Options	DALI, Casambi



Code / Description	LMR12TW60LEDIM - 2700K 3000K 4000K 12W Dimmable 60° Module
Lumen Output	900lm
CRI	90+
Lifespan	50000hrs
Dimming	Phase-Cut
Voltage	220-240V
Options	DALI, Casambi
	Beam Angle 15° 24° 38°

